

PRODUCT

C

O

D

E

S

FIRE PROTECTION

A7A p. 40



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Adjustable fog nozzle	Forged brass	Rough brass	A7AY001	1 1/2" NST	-
			A7AY021	1 1/2" NST	

A7B p. 40



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Adjustable fog nozzle	Forged brass	Rough brass	A7BY001	1 1/2" NST	With bumper
			A7BY011	2 1/2" NST	

A7BP p. 40



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Adjustable fog nozzle	Plastic (Polycarbonate)	-	A7BPY001	1 1/2" NST	With bumper

A50 p. 3



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Angle hose valve	Forged brass	Rough brass	A50Y001	1 1/2" NPT FxF	With hydrolator
		Rough chrome	A50X001	1 1/2" NPT FxF	
		Polished chrome	A50X011	1 1/2" NPT FxF	

A53 p. 2



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Gate valve	Forged brass	Rough brass	A53Y001	2 1/2" NPT F x 2 1/2" NST M	With pin lug cap and chain
			A53Y002	3" NPT F x 2 1/2" NST M	
			A53Y021	2 1/2" NPT F x 2 1/2" NST M	
			A53Y022	3" NPT F x 2 1/2" NST M	
		Polished brass	A53Y041	2 1/2" NPT F x 2 1/2" NST M	With pin lug cap and chain
			A53Y042	3" NPT F x 2 1/2" NST M	
		Rough chrome	A53Y061	2 1/2" NPT F x 2 1/2" NST M	-
			A53X001	2 1/2" NPT F x 2 1/2" NST M	With pin lug cap and chain
			A53X041	2 1/2" NPT F x 2 1/2" NST M	
			A53X061	2 1/2" NPT F x 2 1/2" NST M	-

A53G p. 2



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Gate valve	Forged brass	Rough brass	A53GY001	2 1/2" NST M x 2 1/2" NST F	Pin lug swevel
			A53GY021	2 1/2" NST M x 2 1/2" NST F	Pin lug swevel with cap and chain

A55 p. 4



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Angle hose valve	Forged brass	Rough brass	A55Y001	1 1/2" NPT FxF	-
			A55Y005	2 1/2" NPT FxF	
		Polished brass	A55Y011	1 1/2" NPT FxF	
			A55Y015	2 1/2" NPT FxF	
		Rough chrome	A55X001	1 1/2" NPT FxF	
			A55X005	2 1/2" NPT FxF	
Polished chrome	A55X011	1 1/2" NPT FxF			

A55G p. 5



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Angle hose valve	Forged brass	Rough brass	A55GY005	2 1/2" groove x 2 1/2" NPT F	-

FIRE PROTECTION

A56 p. 4



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES	
Angle hose valve	Forged brass	Rough brass	A56Y001	1 1/2" NPT F x 1 1/2" NST M	-	
			A56Y005	2 1/2" NPT F x 2 1/2" NST M		
		Polished brass	A56Y051	1 1/2" NPT F x 1 1/2" NST M		
			A56Y055	2 1/2" NPT F x 2 1/2" NST M		
		Rough brass	A56TY005	2 1/2" NPT F x 2 1/2" NST M		With pin lug cap and chain
		Rough chrome	A56X001	1 1/2" NPT F x 1 1/2" NST M		-
			A56X005	2 1/2" NPT F x 2 1/2" NST M		
		Polished chrome	A56X055	2 1/2" NPT F x 2 1/2" NST M		

A56G p. 5



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Angle hose valve	Forged brass	Rough brass	A56GY005	2 1/2" groove x 2 1/2" NST M	-

A58 p. 42



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Automatic ball drip	Forged brass	Rough brass	A58Y003	1/2" NPT MxM	-
			A58Y004	3/4" NPT MxM	
		Polished brass	A58Y013	1/2" NPT MxM	

A59 p. 42



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Line tester	Forged brass	Rough brass	A59Y005	1" NPT Fx F	-

A61 p. 44



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Test and drain valve	Forged brass	Rough brass	A61Y001	1" NPT F	3/8" horifice K=2.8
			A61Y002	1 1/4" NPT F	3/8" horifice K=2.8
			A61Y003	1" NPT F	7/16" horifice K=4.2
			A61Y004	1 1/4" NPT F	7/16" horifice K=4.2
			A61Y005	1" NPT F	1/2" horifice K=5.6
			A61Y006	1 1/4" NPT F	1/2" horifice K=5.6
			A61Y009	1" NPT F	3/4" horifice K=14.0
			A61Y010	1 1/4" NPT F	3/4" horifice K=14.0
			A61Y012	1 1/4" NPT F	5/8" horifice K=11.0
			A61Y015	1" NPT F	17/32" horifice K=8.0
			A61Y016	1 1/4" NPT F	17/32" horifice K=8.0
			A61Y030	2" NPT F	7/16" horifice K=4.2
			A61Y032	2" NPT F	1/2" horifice K=5.6
			A61Y033	2" NPT F	17/32" horifice K=8.0
			A61Y034	2" NPT F	5/8" horifice K=11.2
			A61Y035	2" NPT F	3/4" horifice K=14.0
			A61Y036	2" NPT F	15/16" horifice K=16.8
			A61Y037	2" NPT F	15/64" horifice K=22.4
			A61Y038	2" NPT F	19/64" horifice K=25.2
			A61Y052	1 1/4" groove	3/8" horifice K=2.8
			A61Y056	1 1/4" groove	1/2" horifice K=5.6
			A61Y058	1 1/4" groove	17/32" horifice K=8.0
			A61Y060	1 1/4" groove	3/4" horifice K=14.0
			A61Y062	1 1/4" groove	5/8" horifice K=11.0
			A61Y080	2" groove	7/16" horifice K=4.2
			A61Y082	2" groove	1/2" horifice K=5.6
			A61Y083	2" groove	17/32" horifice K=8.0
			A61Y085	2" groove	3/4" horifice K=14.0
			A61Y086	2" groove	15/16" horifice K=16.8
			A61Y087	2" groove	15/64" horifice K=22.4
			A61Y088	2" groove	19/64" horifice K=25.2

FIRE PROTECTION

○ A65 p. 28



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Hose rack mounting nipple	Forged brass	Polished brass	A65Y041	1 1/2" NPT M x 1 1/2" NST M	-
		Rough chrome	A65X001	1 1/2" NPT M x 1 1/2" NST M	
			A65X021	2 1/2" NPT M x 2 1/2" NST M	

○ A70 p. 37-38



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Single lug brass coupling	Forged brass	Rough brass	A70Y001	1 1/2" NST FxF	Type A pin lug
			A70Y005	1 1/2" NST FxF	Type C pin lug
		Polished brass	A70Y051	1 1/2" NST FxF	Type A pin lug
			A70X001	1 1/2" NST FxF	
		Rough chrome	A70X005	1 1/2" NST FxF	Type C pin lug
			A70X011	1 1/2" NST FxF	Type G rocker lug



Double lug brass coupling	Forged brass	Rough brass	A70Y002	1 1/2" NST FxF	Type A0 rocker lug	
			A70Y006	1 1/2" NST FxF	Type C0 pin lug	
			A70Y009	1 1/2" NST FxF		
			A70Y011	1 1/2" NST FxF	Type G rocker lug	
			A70Y015	1 1/2" NST FxF		
			A70Y017	1 1/2" NST FxF	Type P pin lug	
			A70Y018	1 1/2" NST FxF	Type Q rocker lug	
			A70Y021	1 1/2" NST FxF	Type T pin lug	
			A70Y022	1 1/2" NST FxF	Type U rocker lug	
			A70Y030	1 1/2" NST FxF	Type U0 rocker lug	
		Polished chrome	Rough chrome	A70Y035	1 1/2" NST FxF	Type M0 rocker lug
				A70Y067	1 1/2" NST FxF	Type C pin lug
				A70Y081	2" NST FxF	Type AA pin lug
				A70Y083	2" NST FxF	Type CC pin lug
				A70Y101	2 1/2" NST FxF	Type A1 pin lug
				A70Y103	2 1/2" NST FxF	Type C1 pin lug
				A70Y105	2 1/2" NST FxF	Type D1 pin lug
				A70Y108	2 1/2" NST FxF	Type E1 rocker lug
				A70Y112	2 1/2" NST FxF	Type M1 pin lug
				A70Y113	2 1/2" NST FxF	Type N1 rocker lug
A70Y127	2 1/2" NST FxF	Type D3 rocker lug				
A70X067	1 1/2" NST FxF	Type P pin lug				
A70X105	2 1/2" NST FxF	Type D1 pin lug				

○ A71 p. 38



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Forestry coupling	Forged brass	Rough brass	A71Y001	1 1/2" NST FxF	-

○ A75 p. 28



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Reducer	Forged brass	Rough brass	A75Y001	2 1/2" NST F x 1 1/2" NST M	Pin lug
			A75Y002	2 1/2" NST F x 1 1/2" NST M	Rocker lug
		Polished brass	A75Y101	2 1/2" NST F x 1 1/2" NST M	Pin lug
			A75Y102	2 1/2" NST F x 1 1/2" NST M	Rocker lug
		Rough chrome	A75X001	2 1/2" NST F x 1 1/2" NST M	Pin lug
		Polished chrome	A75X101	2 1/2" NST F x 1 1/2" NST M	
		A75X102	2 1/2" NST F x 1 1/2" NST M	Rocker lug	

FIRE PROTECTION

A80 p. 35



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES	
Cap and chain	Forged brass	Rough brass	A80Y001	1 1/2" NST F	Pin lug	
			A80Y011	2 1/2" NST F		
			A80Y012	2 1/2" NST F		Rocker lug
			A80Y019	3" NST F		
		Polished brass	A80Y111	2 1/2" NST F	Pin lug	
			A80X001	1 1/2" NST F		
		Rough chrome	A80X011	2 1/2" NST F	Rocker lug	
			A80X012	2 1/2" NST F		
		Polished chrome	A80X101	1 1/2" NST F	Pin lug	
			A80X111	2 1/2" NST F		
			A80X112	2 1/2" NST F	Rocker lug	

A80P p. 36



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Cap and chain	Plastic (ABS)	-	A80PY001	1 1/2" NST F	Rocker lug
			A80PY011	2 1/2" NST F	
		Chrome plate	A80PX001	1 1/2" NST F	

A81 p. 35



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Cap and chain	Forged brass	Rough brass	A81Y001	1 1/2" NST M	Pin lug
			A81Y011	2 1/2" NST M	
			A81Y012	2 1/2" NST M	Rocker lug
			A81Y080	3" NST M	
		Polished brass	A81Y111	2 1/2" NST M	Pin lug
			A81X011	2 1/2" NST M	
		Polished chrome	A81X111	2 1/2" NST M	Rocker lug
			A81X112	2 1/2" NST M	

A85 p. 8



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Straight globe hose valve	Cast bronze	Rough bronze	A85Y001	2 1/2" NPT Fx F	-

A86 p. 8



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Straight globe hose valve	Cast bronze	Rough bronze	A86Y001	2 1/2" NPT Fx 2 1/2" NST M	-

A88 p. 31



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Adapter	Forged brass	Rough brass	A88Y015	2 1/2" NPT M x 3" NST M	-
			A88Y016	2 1/2" NPT M x 2 1/2" NST M	

A88G p. 31



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Adapter	Forged brass	Rough brass	A88GY003	2 1/2" NPT M x 2 1/2" groove	-
			A88GY005	4" NPT M x 4" groove	

FIRE PROTECTION

A89 p. 32



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Swivel	Forged brass	Rough brass	A89Y011	2 1/2" NST F	Pin lug
			A89Y019	3" NST F	
			A89Y111	2 1/2" NST F	
		Polished brass	A89Y112	2 1/2" NST F	Rocker lug
			A89Y119	3" NST F	
			A89X011	2 1/2" NST F	
Polished chrome	A89X111	2 1/2" NST F	Pin lug		
	A89X112	2 1/2" NST F		Rocker lug	

A90 p. 29



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Open snoot	Forged brass	Polished brass	A90Y001	2 1/2" NPT F x 2 1/2" NST F	Pin lug
			A90Y002	3" NPT F x 2 1/2" NST F	
			A90Y003	3" NPT F x 3" NST F	
		Rough brass	A90Y055	3" NPT F x 2 1/2" NST F	
		Polished chrome	A90X002	3" NPT F x 2 1/2" NST F	

A90C p. 34



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Check snoot	Forged brass	Polished brass	A90CY002	3" NPT F x 2 1/2" NST F	Swevel pin lug
		Polished chrome	A90CX002	3" NPT F x 2 1/2" NST F	

A91 p. 29



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES	
Open snoot	Forged brass	Polished chrome	A91Y001	1 1/2" NPT M x 1 1/2" NST F	Pin lug	
			A91Y002	2" NPT M x 2 1/2" NST F		
		Rough brass	A91Y003	2 1/2" NPT M x 2 1/2" NST F		Rocker lug
			A91Y004	3" NPT M x 2 1/2" NST F		
		Polished brass	A91Y008	2 1/2" NPT M x 2 1/2" NST F		Pin lug
			A91Y021	1 1/2" NPT M x 1 1/2" NST F		
		Rough chrome	A91Y023	2 1/2" NPT M x 2 1/2" NST F	Pin lug	
			A91Y024	3" NPT M x 2 1/2" NST F		
		Polished chrome	A91X004	3" NPT M x 2 1/2" NST F	Pin lug	
			A91X023	2 1/2" NPT M x 2 1/2" NST F		
		A91X024	3" NPT M x 2 1/2" NST F			

A91C p. 34



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Check snoot	Forged brass	Polished brass	A91CY024	3" NPT M x 2 1/2" NST F	Swevel pin lug
		Polished chrome	A91CX024	3" NPT M x 2 1/2" NST F	

A92 p. 32



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Adapter male to male	Forged brass	Rough brass	A92Y001	1 1/2" NPT M x 1 1/2" NST M	-
			A92Y011	2" NPT M x 2 1/2" NST M	
			A92Y012	2 1/2" NPT M x 2 1/2" NST M	

A93 p. 33



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Adapter female to male	Forged brass	Rough brass	A93Y001	1 1/2" NPT F x 1 1/2" NST M	-
			A93Y004	1 1/2" NST F x 1 1/2" NPT M	
			A93Y025	2 1/2" NST F x 2" NPT M	
			A93Y026	2 1/2" NPT F x 2 1/2" NST M	
			A93Y027	2 1/2" NST F x 2 1/2" NPT M	
			A93Y031	2 1/2" NST F x 2 1/2" NST M	

FIRE PROTECTION

A94 p. 33



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Adapter female to female	Forged brass	Rough brass	A94Y001	1 1/2" NPT F x 1 1/2" NST F	-
			A94Y011	2 1/2" NPT F x 2" NPT F	
			A94Y012	2 1/2" NPT F x 2 1/2" NST F	

A95 p. 15



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Exposed 2 way siamese fire dept connection single way clapper-back	Cast brass	Rough brass	A95Y001	4" NPT F x 2 1/2" NST F	branding "AUTO SPKR" pin lug

A96 p. 15



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Exposed 2 way siamese fire dept connection single way clapper-angle	Cast brass	Rough brass	A96Y001	4" NPT F x 2 1/2" NST F	branding "AUTO SPKR" pin lug

A97 p. 16



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Roof fire dept outlet connection	Cast brass	Rough brass	A97Y001	4" NPT F x 2 1/2" NPT M	2 way-back
			A97Y002	4" NPT F x 2 1/2" NST M	
			A97Y101	6" NPT F x 2 1/2" NST M	
			A97Y102	6" NPT F x 2 1/2" NPT M	3 way-back
			A97Y201	6" NPT F x 2 1/2" NPT M	
			A97Y202	6" NPT F x 2 1/2" NST M	
A97Y251	4" NPT F x 2 1/2" NST M				

A98 p. 17



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Roof fire dept outlet connection	Cast brass	Rough brass	A98Y001	4" NPT F x 2 1/2" NPT M	2 way-back
			A98Y002	4" NPT F x 2 1/2" NST M	
			A98Y101	6" NPT F x 2 1/2" NPT M	
			A98Y102	6" NPT F x 2 1/2" NST M	3 way-back
			A98Y201	6" NPT F x 2 1/2" NPT M	
			A98Y202	6" NPT F x 2 1/2" NST M	
A98Y251	4" NPT F x 2 1/2" NPT M				

A99 p. 21



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Leader line 2 way	Forged brass	Red painted brass	A99X001	1 1/2" NSF F x 2 1/2" NST F	chrome plated swivel rocker lug

A101 p. 18



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Straight siamese fire dept connection	Cast brass	Rough brass	A101Y001	4" x 2 1/2" NPT	-
			A101Y012	4" x 3" NPT	
			A101Y101	6" x 2 1/2" NPT	

A102 p. 18



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Angle siamese fire dept connection	Cast brass	Rough brass	A102Y001	4" x 2 1/2" NPT	double drop clappers top feed
			A102Y003	4" x 2 1/2" NPT	double drop clappers bottom feed
			A102Y012	4" x 3" NPT	-
			A102Y101	6" x 2 1/2" NPT	

FIRE PROTECTION

○ A103 p. 21



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Plate	Cold forged brass	Polished brass	A103Y011	-	Branding "AUTO-SPKR"
			A103Y012	-	Branding "STANDPIPE"
			A103Y013	-	Branding "AUTO-SPKR STANDPIPE"
			A103Y014	-	Branding "WALL HYDRANT"
			A103Y015	-	UL emblem
		Polished chrome	A103X011	-	Branding "AUTO-SPKR"
			A103X012	-	Branding "STANDPIPE"
			A103X013	-	Branding "AUTO-SPKR STANDPIPE"
			A103X014	-	Branding "WALL HYDRANT"

○ A104 p. 33



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Bush	Forged brass	Rough brass	A104Y001	6" NPT F x 4" NPT M	-
			A104Y002	8" NPT F x 6" NPT M	-

○ A105 p. 19



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Exposed straight Fire Dept Connection	Cast brass	Rough brass	A105Y001	4" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug
			A105Y002	4" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug
			A105Y021	4" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug
			A105Y022	4" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug
		Polished brass	A105Y030	4" NPT F x 2 1/2" NST	Plain pin lug
			A105Y051	4" NPT F x 3" NST	Branding "AUTO-SPKR" pin lug
			A105Y052	4" NPT F x 3" NST	Branding "STANDPIPE" pin lug
			A105Y060	4" NPT F x 3" NST	Plain pin lug
		Rough brass	A105Y201	6" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug
			A105Y202	6" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug
			A105Y230	6" NPT F x 2 1/2" NST	Plain pin lug
			A105Y251	6" NPT F x 3" NST	Branding "AUTO-SPKR" pin lug
			A105Y301	4" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug 3 way
			A105Y302	4" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug 3 way
			A105Y401	6" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug 3 way
			A105Y402	6" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug 3 way
		Polished chrome	A105X021	4" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug
			A105X022	4" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug

○ A106 p. 20



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Exposed angle Fire Dept Connection	Cast brass	Rough brass	A106Y001	4" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug
			A106Y002	4" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug
			A106Y021	4" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug
			A106Y022	4" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug
		Polished brass	A106Y030	4" NPT F x 2 1/2" NST	Plain pin lug
			A106Y051	4" NPT F x 3" NST	Branding "AUTO-SPKR" pin lug
			A106Y052	4" NPT F x 3" NST	Branding "STANDPIPE" pin lug
			A106Y060	4" NPT F x 3" NST	Plain pin lug
		Rough brass	A106Y201	6" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug
			A106Y202	6" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug
			A106Y230	6" NPT F x 2 1/2" NST	Plain pin lug
			A106Y251	6" NPT F x 3" NST	Branding "AUTO-SPKR" pin lug
			A106Y252	6" NPT F x 3" NST	Branding "STANDPIPE" pin lug
			A106Y301	4" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug 3 way
			A106Y302	4" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug 3 way
			A106Y401	6" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug 3 way
		A106Y402	6" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug 3 way	
		Polished chrome	A106X021	4" NPT F x 2 1/2" NST	Branding "AUTO-SPKR" pin lug
			A106X022	4" NPT F x 2 1/2" NST	Branding "STANDPIPE" pin lug

FIRE PROTECTION

A111 p. 22



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Flush Fire Dept Connection end outlet body	Forged brass	Rough brass	A111Y003	6" NPT x 3" NPT	3-way clapper snoot type
			A111Y004	6" NPT x 3" NPT	4-way clapper snoot type
Flush Fire Dept Connection/ Roof manifold end outlet body			A111Y006	6" NPT x 3" NPT	6-way clapper snoot type
Roof manifold end outlet body			A111Y013	6" NPT x 3" NPT	3-way clapper snoot type
			A111Y014	6" NPT x 3" NPT	4-way clapper snoot type
Flush Fire Dept Connection/ Roof manifold end outlet			A111Y026	8" NPT x 3" NPT	6-way clapper snoot type

A114 p. 25



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Flush Fire Dept Connection/ Roof manifold back outlet	Forged brass	Rough brass	A114Y030	6" NPT x 3" NPT	4-way clapper snoot type

A115 p. 25



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Flush Fire Dept Connection/ Roof manifold back outlet	Forged brass	Rough brass	A115Y030	6" NPT x 3" NPT	4-way clapper snoot type

A121 p. 23



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Flush Fire Dept Connection horizontal left end outlet	Forged brass	Rough brass	A121Y034	6" NPT x 3" NPT	4-way clapper body type
			A121Y036	6" NPT x 3" NPT	6-way clapper body type

A122 p. 24



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Flush Fire Dept Connection horizontal back outlet	Forged brass	Rough brass	A122Y034	6" NPT x 3" NPT	4-way clapper body type
			A122Y036	6" NPT x 3" NPT	6-way clapper body type

A123 p. 24



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Flush Fire Dept Connection horizontal bottom angle outlet	Forged brass	Rough brass	A123Y034	6" NPT x 3" NPT	4-way clapper body type
			A123Y036	6" NPT x 3" NPT	6-way clapper body type
			A123Y056	8" NPT x 3" NPT	6-way clapper body type

A124 p. 26



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Flush Fire Dept Connection back outlet	Forged brass	Rough brass	A124Y030	6" NPT x 3" NPT	4-way clapper body type

A125 p. 26



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Flush Fire Dept Connection angle outlet	Forged brass	Rough brass	A125Y030	6" NPT x 3" NPT	4-way clapper body type

FIRE PROTECTION

A140 p. 13



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Swing check valve	Forged brass	Rough brass	A140Y001	4" groove inlet x 4" groove outlet	-
			A140Y002	4" M NPT inlet x 4" groove outlet	
			A140Y003	4" M NPT inlet x 4" F NPT outlet	

A155 p. 9



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Pressure restricting valve	Forged brass	Rough brass	A155Y001	1 1/2" NPT FxF	-
			A155Y005	2 1/2" NPT FxF	
		Polished brass	A155Y011	1 1/2" NPT FxF	
			A155Y015	2 1/2" NPT FxF	
		Rough chrome	A155X005	2 1/2" NPT FxF	
			A155X011	1 1/2" NPT FxF	
		Polished chrome	A155X015	2 1/2" NPT FxF	
			A155X035	2 1/2" BSPT Fx NPT F	

A155S p. 9



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Pressure restricting valve	Forged brass	Rough brass	A155S001	1 1/2" NPT FxF	with hydrolator
		Rough chrome	A155S001	1 1/2" NPT FxF	
		Polished chrome	A155S031	1 1/2" NPT FxF	

A156 p. 10



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Pressure restricting valve	Forged brass	Rough brass	A156Y001	1 1/2" NPT F x 1 1/2" NST M	-
			A156Y005	2 1/2" NPT F x 2 1/2" NST M	
		Polished brass	A156Y031	1 1/2" NPT F x 1 1/2" NST M	
			A156Y035	2 1/2" NPT F x 2 1/2" NST M	
		Rough chrome	A156X001	1 1/2" NPT F x 1 1/2" NST M	
			A156X005	2 1/2" NPT F x 2 1/2" NST M	
		Polished chrome	A156X031	1 1/2" NPT F x 1 1/2" NST M	
			A156X035	2 1/2" NPT F x 2 1/2" NST M	

A170 p. 13



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Monitor switch adapter	Steel		A170Y011	-	for A201, A202, A203, A204

A190T p. 21



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Residential Fire Dept. Connection	Forged brass	Rough brass	A190TY001	1 1/2" NPT x 1 1/2" NST	branding "AUTO-SPKR" with pin lug cap and chain

FIRE PROTECTION

A201 p. 11



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Field adjustable pressure reducing angle valve	Cast bronze	Rough brass	A201Y001	2 1/2" NPT FxF	-
		Rough chrome	A201X001	2 1/2" NPT FxF	

A202 p. 11



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Field adjustable pressure reducing angle valve	Cast bronze	Rough brass	A202Y001	2 1/2" NPT F x 2 1/2" NST M	-
		Rough chrome	A202X001	2 1/2" NPT F x 2 1/2" NST M	

A203 p. 12



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Field adjustable pressure reducing straight valve	Cast bronze	Rough brass	A203Y001	2 1/2" NPT FxF	-

A204 p. 12



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Field adjustable pressure reducing straight valve	Cast bronze	Rough brass	A204Y001	2 1/2" NPT F x 2 1/2" NST M	-

R910 p. 43



DESCRIPTION	MATERIAL	FINISHING	CODES	SIZES	FEATURES
Ball valve full port	Forged brass	Rough chrome	R910UY003	1/2" NPT FxF	-
			R910UY004	3/4" NPT FxF	
			R910UY005	1" NPT FxF	
			R910UY006	1 1/4" NPT FxF	
			R910UY007	1 1/2" NPT FxF	
			R910UY008	2" NPT FxF	
			R910UY009	2 1/2" NPT FxF	
			R910UY010	3" NPT FxF	
			R910UY011	4" NPT FxF	